

BAREBOW TAB SPECIFICATIONS



PLATES/LEATHERS

| SIZE | A | B | C | D |
|-------|------|----|----|------|
| SMALL | 54.5 | 45 | 30 | 60 |
| LARGE | 63 | 55 | 30 | 69.5 |

RINGS

| SIZE | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 |
|------|----|------|------|------|------|----|----|------|----|----|----|
| mm | 50 | 53.5 | 56.5 | 59.5 | 62.5 | 66 | 69 | 72.5 | 76 | 79 | 82 |

ALL CHART MEASUREMENTS SHOWN ARE IN MILLIMETRES

SELECTING YOUR RING SIZE

GETTING STARTED

You'll need a 10cm wide strip of paper, a pen or fine tip marker, and a ruler.

First take a look at your middle finger - the one which will go through the ring. You need to measure the part of this finger where the ring will sit, just behind the knuckle



MEASURE

Now, take your strip of paper and wrap it around the section of your finger that you need to measure. Take your pen/marker and draw across the paper strip at the point where the end of the paper overlaps, measuring the circumference of your finger.



COMPARE

Straighten out the strip and measure the length between the marks where the overlaps were. This length now can be compared with the chart above to select your correct spacer size. Generally if you are between sizes then select your size dependent on your preference for snug fit or loose fit. Personally I prefer snug fit, however if you have large knuckles you may need to go up a size. I also strongly recommend you do this once yourself, then get someone else to help double check your measurements.

